

IM2 – 1.2 (P – cV1 Kuta A)

Name _____

Solving Rational Exponents & Radicals

Date _____ Period _____

Solve each equation.

1) $27 = x^{\frac{3}{2}}$

2) $m^{\frac{3}{4}} = 27$

3) $x^{-\frac{3}{2}} = \frac{1}{729}$

4) $7 = r^{\frac{1}{2}}$

5) $v^{\frac{5}{4}} = 243$

6) $n^{\frac{3}{2}} = 125$

7) $(n - 27)^{\frac{3}{2}} = 64$

8) $26 = -1 + (27x)^{\frac{3}{4}}$

$$9) 3125 = (-1 - 18p)^{\frac{5}{3}}$$

$$10) 5 = 3 + 4a^{-\frac{1}{6}}$$

$$11) 4b^{-\frac{3}{4}} + 10 = \frac{21}{2}$$

$$12) -x^{\frac{3}{2}} = -27$$

$$13) -54 = 10 - (m - 10)^{\frac{3}{2}}$$

$$14) -5126 = -6 - 5(3x + 22)^{\frac{5}{3}}$$

$$15) 9 + 5\sqrt[3]{2m} = 29$$

$$16) 3646 = 1 + 5(4r + 17)^{\frac{3}{2}}$$

$$17) -646 = -3(65 - n)^{\frac{3}{2}} + 2$$

$$18) -3 + (8 - 2x)^{\frac{5}{4}} = 29$$

Solving Rational Exponents & Radicals

Solve each equation.

1) $27 = x^{\frac{3}{2}}$

{9}

2) $m^{\frac{3}{4}} = 27$

{81}

3) $x^{-\frac{3}{2}} = \frac{1}{729}$

{81}

4) $7 = r^{\frac{1}{2}}$

{49}

5) $v^{\frac{5}{4}} = 243$

{81}

6) $n^{\frac{3}{2}} = 125$

{25}

7) $(n - 27)^{\frac{3}{2}} = 64$

{43}

8) $26 = -1 + (27x)^{\frac{3}{4}}$

{3}

$$9) 3125 = (-1 - 18p)^{\frac{5}{3}}$$

{-7}

$$10) 5 = 3 + 4a^{-\frac{1}{6}}$$

{64}

$$11) 4b^{-\frac{3}{4}} + 10 = \frac{21}{2}$$

{16}

$$12) -x^{\frac{3}{2}} = -27$$

{9}

$$13) -54 = 10 - (m - 10)^{\frac{3}{2}}$$

{26}

$$14) -5126 = -6 - 5(3x + 22)^{\frac{5}{3}}$$

{14}

$$15) 9 + 5\sqrt[3]{2m} = 29$$

{32}

$$16) 3646 = 1 + 5(4r + 17)^{\frac{3}{2}}$$

{16}

$$17) -646 = -3(65 - n)^{\frac{3}{2}} + 2$$

{29}

$$18) -3 + (8 - 2x)^{\frac{5}{4}} = 29$$

{-4}